

MICS4 Indicators: Numerators and Denominators

MICS4 INDICATOR [M]	Module ¹	Numerator	Denominator	MDG ²	
1. MORTALITY					
1.1		Under-five mortality rate ³	CM - BH	Probability of dying by exact age 5 years	MDG 4.1
1.2		Infant mortality rate ⁴	CM - BH	Probability of dying by exact age 1 year	MDG 4.2
1.3		Neonatal mortality rate	BH	Probability of dying within the first month of life, during the 5-year period preceding the survey	
1.4		Post-neonatal mortality rate	BH	Difference between infant and neonatal mortality rates, during the 5-year period preceding the survey	
1.5		Child mortality rate	BH	Probability of dying between exact ages one and five, during the 5-year period preceding the survey	

2. NUTRITION						
2.1a 2.1b		Underweight prevalence	AN	Number of children under age 5 who (a) fall below minus two standard deviations (moderate and severe) (b) fall below minus three standard deviations (severe) from the median weight for age of the WHO standard	Total number of children under age 5	MDG 1.8
2.2a 2.2b		Stunting prevalence	AN	Number of children under age 5 who (a) fall below minus two standard deviations (moderate and severe) (b) fall below minus three standard deviations (severe) from the median height for age of the WHO standard	Total number of children under age 5	
2.3a 2.3b		Wasting prevalence	AN	Number of children under age 5 who (a) fall below minus two standard deviations (moderate and severe) (b) fall below minus three standard deviations (severe) from the median weight for height of the WHO standard	Total number of children under age 5	

[M] Indicates that the indicator is also calculated for men, for the same age group, in surveys where the Questionnaire for Individual Men has been included. Calculations are carried out by using modules in the Men's Questionnaire

¹ Some indicators are constructed by using questions in several modules. In such cases, only the module(s) which contains most of the necessary information is indicated.

² MDG indicators as of February 2010

³ Indicator is defined as "Probability of dying between birth and fifth birthday, during the 5-year period preceding the survey" when estimated from the birth history

⁴ Indicator is defined as "Probability of dying between birth and the first birthday, during the 5-year period preceding the survey" when estimated from the birth history

MICS4 INDICATOR [M]		Module ¹	Numerator	Denominator	MDG ²
2.4	Children ever breastfed	MN	Number of women with a live birth in the 2 years preceding the survey who breastfed the child at any time	Total number of women with a live birth in the 2 years preceding the survey	
2.5	Early initiation of breastfeeding	MN	Number of women with a live birth in the 2 years preceding the survey who put the newborn infant to the breast within 1 hour of birth	Total number of women with a live birth in the 2 years preceding the survey	
2.6	Exclusive breastfeeding under 6 months	BF	Number of infants under 6 months of age who are exclusively breastfed ⁵	Total number of infants under 6 months of age	
2.7	Continued breastfeeding at 1 year	BF	Number of children age 12-15 months who are currently breastfeeding	Total number of children age 12-15 months	
2.8	Continued breastfeeding at 2 years	BF	Number of children age 20-23 months who are currently breastfeeding	Total number of children age 20-23 months	
2.9	Predominant breastfeeding under 6 months	BF	Number of infants under 6 months of age who received breast milk as the predominant source of nourishment ⁶ during the previous day	Total number of infants under 6 months of age	
2.10	Duration of breastfeeding	BF	The age in months when 50 percent of children age 0-35 months did not receive breast milk during the previous day		
2.11	Bottle feeding	BF	Number of children age 0-23 months who were fed with a bottle during the previous day	Total number of children age 0-23 months	
2.12	Introduction of solid, semi-solid or soft foods	BF	Number of infants age 6-8 months who received solid, semi-solid or soft foods during the previous day	Total number of infants age 6-8 months	
2.13	Minimum meal frequency	BF	Number of children age 6-23 months receiving solid, semi-solid and soft foods (plus milk feeds for non-breastfed children) the minimum times ⁷ or more, according to breastfeeding status, during the previous day	Total number of children age 6-23 months	
2.14	Age-appropriate breastfeeding	BF	Number of children age 0-23 months appropriately fed ⁸ during the previous day	Total number of children age 0-23 months	
2.15	Milk feeding frequency for non-breastfed children	BF	Number of non-breastfed children age 6-23 months who received at least 2 milk feedings during the previous day	Total number of non-breastfed children age 6-23 months	
2.16	Iodized salt consumption	SI	Number of households with salt testing 15 parts per million or more of iodide/iodate	Total number of households in which salt was tested or with no salt	

⁵ Infants receiving breast milk, and not receiving any other fluids or foods, with the exception of oral rehydration solution, vitamins, mineral supplements and medicines

⁶ Infants who receive breast milk and certain fluids (water and water-based drinks, fruit juice, ritual fluids, oral rehydration solution, drops, vitamins, minerals, and medicines), but do not receive anything else (in particular, non-human milk and food-based fluids)

⁷ Breastfeeding children: Solid, semi-solid, or soft foods, two times for infants age 6-8 months, 3 times for children 9-23 months; Non-breastfeeding children: Solid, semi-solid, or soft foods, or milk feeds, four times for children age 6-23 months

⁸ Infants age 0-5 who are exclusively breastfed, and children age 6-23 months who are breastfed and ate solid, semi-solid or soft foods

MICS4 INDICATOR [M]		Module ¹	Numerator	Denominator	MDG ²
2.17	Vitamin A supplementation (children under age 5)	IM	Number of children age 6-59 months who received at least one high-dose vitamin A supplement in the 6 months preceding the survey	Total number of children age 6-59 months	
2.18	Low-birthweight infants	MN	Number of last live births in the 2 years preceding the survey weighing below 2,500 grams at birth	Total number of last live births in the 2 years preceding the survey	
2.19	Infants weighed at birth	MN	Number of last live births in the 2 years preceding the survey who were weighed at birth	Total number of last live births in the 2 years preceding the survey	

3. CHILD HEALTH					
3.1	Tuberculosis immunization coverage	IM	Number of children age 12-23 months ⁹ who received BCG vaccine before their first birthday	Total number of children age 12-23 months	
3.2	Polio immunization coverage	IM	Number of children age 12-23 months who received OPV3 vaccine before their first birthday	Total number of children age 12-23 months	
3.3	Immunization coverage for diphtheria, pertussis and tetanus (DPT)	IM	Number of children age 12-23 months who received DPT3 vaccine before their first birthday	Total number of children age 12-23 months	
3.4	Measles immunization coverage	IM	Number of children age 12-23 months who received measles vaccine before their first birthday	Total number of children age 12-23 months	MDG 4.3
3.5	Hepatitis B immunization coverage	IM	Number of children age 12-23 months who received the third dose of Hepatitis B vaccine before their first birthday	Total number of children age 12-23 months	
3.6	Yellow fever immunization coverage	IM	Number of children age 12-23 months who received yellow fever vaccine before their first birthday	Total number of children age 12-23 months	
3.7	Neonatal tetanus protection	MN	Number of women age 15-49 years with a live birth in the 2 years preceding the survey who were given at least two doses of tetanus toxoid vaccine within the appropriate interval ¹⁰ prior to giving birth	Total number of women age 15-49 years with a live birth in the 2 years preceding the survey	
3.8	Oral rehydration therapy with continued feeding	CA	Number of children under age 5 with diarrhoea in the previous 2 weeks who received ORT (ORS packet or recommended homemade fluid or increased fluids) and continued feeding during the episode of diarrhoea	Total number of children under age 5 with diarrhoea in the previous 2 weeks	
3.9	Care-seeking for suspected pneumonia	CA	Number of children under age 5 with suspected pneumonia in the previous 2 weeks who were taken to an appropriate health provider	Total number of children under age 5 with suspected pneumonia in the previous 2 weeks	

⁹ Indicators 3.1, 3.2, 3.3, 3.4, 3.5 and 3.6 may be calculated for an older age group, such as 15-26 months or 18-29 months, depending on the immunization schedule

¹⁰ See MICS4 manual for a detailed description

MICS4 INDICATOR [M]		Module ¹	Numerator	Denominator	MDG ²
3.10	Antibiotic treatment of suspected pneumonia	CA	Number of children under age 5 with suspected pneumonia in the previous 2 weeks who received antibiotics	Total number of children under age 5 with suspected pneumonia in the previous 2 weeks	
3.11	Solid fuels	HC	Number of household members in households that use solid fuels as the primary source of domestic energy to cook	Total number of household members	
3.12	Household availability of insecticide-treated nets (ITNs) ¹¹	TN	Number of households with at least one insecticide treated net (ITN)	Total number of households	
3.13	Households protected by a vector control method	TN - IR	Number of households with at least one insecticide-treated net (ITN) or that received spraying through an IRS ¹² campaign in the last 12 months preceding the survey	Total number of households	
3.14	Children under age 5 sleeping under any type of mosquito net	TN	Number of children under age 5 who slept under any type of mosquito net the previous night	Total number of children under age 5	
3.15	Children under age 5 sleeping under insecticide-treated nets (ITNs)	TN	Number of children under age 5 who slept under an insecticide-treated mosquito net (ITN) the previous night	Total number of children under age 5	MDG 6.7
3.16	Malaria diagnostics usage	ML	Number of children under age 5 reported to have had fever in the previous 2 weeks who had a finger or heel stick for malaria testing	Total number of children under age 5 reported to have had fever in the previous 2 weeks	
3.17	Anti-malarial treatment of children under age 5 the same or next day	ML	Number of children under age 5 reported to have had fever in the previous 2 weeks who were treated with any anti-malarial drug within the same or next day of onset of symptoms	Total number of children under age 5 reported to have had fever in the previous 2 weeks	
3.18	Anti-malarial treatment of children under age 5	ML	Number of children under age 5 reported to have had fever in the previous 2 weeks who received any antimalarial treatment	Total number of children under age 5 reported to have had fever in the previous 2 weeks	MDG 6.8
3.19	Pregnant women sleeping under insecticide-treated nets (ITNs)	TN	Number of pregnant women who slept under an insecticide-treated net (ITN) the previous night	Total number of pregnant women	
3.20	Intermittent preventive treatment for malaria	MN	Number of women age 15-49 years who received at least 2 doses of SP/Fansidar to prevent malaria during antenatal care visits for their last pregnancy leading to a live birth in the 2 years preceding the survey	Total number of women age 15-49 years who have had a live birth in the 2 years preceding the survey	
3.21	Child at increased risk of disability	DA	Number of children age 2-9 years reported by mothers/caretakers to have at least one of the specified impairments or activity limitations ¹³	Total number of children age 2-9 years	

¹¹ An ITN is (a) a factory treated net which does not require any treatment, (b) a pretreated net obtained within the past 12 months, or (c) a net that has been soaked with or dipped in insecticide within the past 12 months

¹² Indoor residual spraying

MICS4 INDICATOR [M]	Module ¹	Numerator	Denominator	MDG ²	
4. WATER AND SANITATION					
4.1	Use of improved drinking water sources	WS	Number of household members using improved sources of drinking water	Total number of household members	MDG 7.8
4.2	Water treatment	WS	Number of household members using unimproved drinking water who use an appropriate treatment method	Total number of household members in households using unimproved drinking water sources	
4.3	Use of improved sanitation	WS	Number of household members using improved sanitation facilities which are not shared	Total number of household members	MDG 7.9
4.4	Safe disposal of child's faeces	CA	Number of children age 0-2 years whose last stools were disposed of safely	Total number of children age 0-2 years	
4.5	Place for handwashing	HW	Number of households with a specific place for hand washing where water and soap are present	Total number of households	
4.6	Availability of soap	HW	Number of households with soap anywhere in the dwelling	Total number of households	

5. REPRODUCTIVE HEALTH					
5.1	Adolescent birth rate ¹⁴	CM - BH	Age-specific fertility rate for women age 15-19 years for the one year period preceding the survey		MDG 5.4
5.2	Early childbearing	CM - BH	Number of women age 20-24 years who had at least one live birth before age 18	Total number of women age 20-24 years	
5.3	Contraceptive prevalence rate	CP	Number of women age 15-49 years currently married or in union who are using (or whose partner is using) a (modern or traditional) contraceptive method	Total number of women age 15-49 years who are currently married or in union	MDG 5.3
5.4	Unmet need ¹⁵	UN	Number of women age 15-49 years who are currently married or in union who are fecund and want to space their births or limit the number of children they have and who are not currently using contraception	Total number of women age 15-49 years who are currently married or in union	MDG 5.6

¹³ Impairments/activity limitations specified in the questionnaire are: (1) delay in sitting, standing or walking, (2) difficulty seeing, either in the daytime or at night, (3) appearing to have difficulty hearing, (4) difficulty in understanding instructions, (5) difficulty walking or moving arms or weakness or stiffness of limbs, (6) has fits, becomes rigid, loses consciousness, (7) does not learn to do things like other children of the same age, (8) cannot speak or cannot be understood in words, (9) appearing mentally backward, dull or slow, (10) cannot name at least an object (for children age 2 years) or whose speech is not normal (age 3-9 years)

¹⁴ Indicator is defined as "Age-specific fertility rate for women age 15-19 years, for the 3-year period preceding the survey" when estimated from the birth history

¹⁵ See MICS4 manual for a detailed description

MICS4 INDICATOR [M]		Module ¹	Numerator	Denominator	MDG ²
5.5a 5.5b	Antenatal care coverage	MN	Number of women age 15-49 years who were attended during pregnancy in the 2 years preceding the survey (a) at least once by skilled personnel (b) at least four times by any provider	Total number of women age 15-49 years with a live birth in the 2 years preceding the survey	MDG 5.5
5.6	Content of antenatal care	MN	Number of women age 15-49 years with a live birth in the 2 years preceding the survey who had their blood pressure measured and gave urine and blood samples during the last pregnancy	Total number of women age 15-49 years with a live birth in the 2 years preceding the survey	
5.7	Skilled attendant at delivery	MN	Number of women age 15-49 years with a live birth in the 2 years preceding the survey who were attended during childbirth by skilled health personnel	Total number of women age 15-49 years with a live birth in the 2 years preceding the survey	MDG 5.2
5.8	Institutional deliveries	MN	Number of women age 15-49 years with a live birth in the 2 years preceding the survey who delivered in a health facility	Total number of women age 15-49 years with a live birth in the 2 years preceding the survey	
5.9	Caesarean section	MN	Number of last live births in the 2 years preceding the survey who were delivered by caesarean section	Total number of last live births in the 2 years preceding the survey	
5.10	Post-partum stay in health facility	PN	Number of women age 15-49 years who stayed in the health facility for 12 hours or more after the delivery of their last live birth in the 2 years preceding the survey	Total number of women age 15-49 years with a live birth in the 2 years preceding the survey	
5.11	Post-natal health check for the newborn	PN	Number of last live births in the last 2 years who received a health check while in facility or at home following delivery, or a post-natal care visit within 2 days after birth	Total number of last live births in the last 2 years	
5.12	Post-natal health check for the mother	PN	Number of women age 15-49 years who received a health check while in facility or at home following delivery, or a post-natal care visit within 2 days after delivery	Total number of women age 15-49 years with a live birth in the 2 years preceding the survey	
5.13	Maternal mortality ratio	MM	Deaths during pregnancy, childbirth, or within two months after delivery or termination of pregnancy, per 100.000 births within the 7-year period preceding the survey		MDG 5.1

6. CHILD DEVELOPMENT

6.1	Support for learning	EC	Number of children age 36-59 months with whom an adult has engaged in four or more activities to promote learning and school readiness in the past 3 days	Total number of children age 36-59 months	
6.2	Father's support for learning	EC	Number of children age 36-59 months whose father has engaged in one or more activities to promote learning and school readiness in the past 3 days	Total number of children age 36-59 months	
6.3	Learning materials: children's books	EC	Number of children under age 5 who have three or more children's books	Total number of children under age 5	

MICS4 INDICATOR ^[M]		Module ¹	Numerator	Denominator	MDG ²
6.4	Learning materials: playthings	EC	Number of children under age 5 with two or more playthings	Total number of children under age 5	
6.5	Inadequate care	EC	Number of children under age 5 left alone or in the care of another child younger than 10 years of age for more than one hour at least once in the past week	Total number of children under age 5	
6.6	Early child development index	EC	Number of children age 36-59 months who are developmentally on track in literacy-numeracy, physical, social-emotional, and learning domains	Total number of children age 36-59 months	
6.7	Attendance to early childhood education	EC	Number of children age 36-59 months who are attending an early childhood education programme	Total number of children age 36-59 months	

7. LITERACY AND EDUCATION					
7.1	Literacy rate among young women ^[M]	WB	Number of women age 15-24 years who are able to read a short simple statement about everyday life or who attended secondary or higher education	Total number of women age 15-24 years	MDG 2.3
7.2	School readiness	ED	Number of children in first grade of primary school who attended pre-school during the previous school year	Total number of children attending the first grade of primary school	
7.3	Net intake rate in primary education	ED	Number of children of school-entry age who enter the first grade of primary school	Total number of children of school-entry age	
7.4	Primary school net attendance ratio (adjusted)	ED	Number of children of primary school age currently attending primary or secondary school	Total number of children of primary school age	MDG 2.1
7.5	Secondary school net attendance ratio (adjusted)	ED	Number of children of secondary school age currently attending secondary school or higher	Total number of children of secondary school age	
7.6	Children reaching last grade of primary	ED	Proportion of children entering the first grade of primary school who eventually reach last grade		MDG 2.2
7.7	Primary completion rate	ED	Number of children attending the last grade of primary school (excluding repeaters)	Total number of children of primary school completion age (age appropriate to final grade of primary school)	
7.8	Transition rate to secondary school	ED	Number of children attending the last grade of primary school during the previous school year who are in the first grade of secondary school during the current school year	Total number of children attending the last grade of primary school during the previous school year	
7.9	Gender parity index (primary school)	ED	Primary school net attendance ratio (adjusted) for girls	Primary school net attendance ratio (adjusted) for boys	MDG 3.1
7.10	Gender parity index (secondary school)	ED	Secondary school net attendance ratio (adjusted) for girls	Secondary school net attendance ratio (adjusted) for boys	MDG 3.1

MICS4 INDICATOR ^[M]		Module ¹	Numerator	Denominator	MDG ²
8. CHILD PROTECTION					
8.1	Birth registration	BR	Number of children under age 5 whose births are reported registered	Total number of children under age 5	
8.2	Child labour	CL	Number of children age 5-14 years who are involved in child labour	Total number of children age 5-14 years	
8.3	School attendance among child labourers	ED - CL	Number of children age 5-14 years who are involved in child labour and are currently attending school	Total number of children age 5-14 years involved in child labour	
8.4	Child labour among students	ED - CL	Number of children age 5-14 years who are involved in child labour and are currently attending school	Total number of children age 5-14 years attending school	
8.5	Violent discipline	CD	Number of children age 2-14 years who experienced psychological aggression or physical punishment during the past month	Total number of children age 2-14 years	
8.6	Marriage before age 15 ^[M]	MA	Number of women age 15-49 years who were first married or in union by the exact age of 15	Total number of women age 15-49 years	
8.7	Marriage before age 18 ^[M]	MA	Number of women age 20-49 years who were first married or in union by the exact age of 18	Total number of women age 20-49 years	
8.8	Young women age 15-19 years currently married or in union ^[M]	MA	Number of women age 15-19 years who are currently married or in union	Total number of women age 15-19 years	
8.9	Polygyny ^[M]	MA	Number of women age 15-49 years who are in a polygynous union	Total number of women age 15-49 years who are currently married or in union	
8.10a 8.10b	Spousal age difference	MA	Number of women currently married or in union whose spouse is 10 or more years older, (a) for women age 15-19 years, (b) for women age 20-24 years	Total number of women currently married or in union (a) age 15-19 years, (b) age 20-24 years	
8.11	Approval for female genital mutilation/cutting (FGM/C)	FG	Number of women age 15-49 years favouring the continuation of FGM/C	Total number of women age 15-49 years who have heard of FGM/C	
8.12	Prevalence of female genital mutilation/cutting (FGM/C) among women	FG	Number of women age 15-49 years who report to have undergone any form of FGM/C	Total number of women age 15-49 years	
8.13	Prevalence of female genital mutilation/cutting (FGM/C) among girls	FG	Number of girls age 0-14 years who have undergone any form of FGM/C, as reported by mothers	Total number of girls age 0-14 years	
8.14	Attitudes towards domestic violence ^[M]	DV	Number of women who state that a husband/partner is justified in hitting or beating his wife in at least one of the following circumstances: (1) she goes out without telling him, (2) she neglects the children, (3) she argues with him, (4) she refuses sex with him, (5) she burns the food	Total number of women age 15-49 years	

MICS4 INDICATOR ^[M]		Module ¹	Numerator	Denominator	MDG ²
9. HIV/AIDS, SEXUAL BEHAVIOUR AND ORPHANS					
9.1	Comprehensive knowledge about HIV prevention ^[M]	HA	Number of women age 15-49 years who correctly identify two ways of preventing HIV infection ¹⁶ , know that a healthy looking person can have HIV, and reject the two most common misconceptions about HIV transmission	Total number of women age 15-49 years	
9.2	Comprehensive knowledge about HIV prevention among young people ^[M]	HA	Number of women age 15-24 years who correctly identify two ways of preventing HIV infection ¹⁶ , know that a healthy looking person can have HIV, and reject the two most common misconceptions about HIV transmission	Total number of women age 15-24 years	MDG 6.3
9.3	Knowledge of mother-to-child transmission of HIV ^[M]	HA	Number of women age 15-49 years who correctly identify all three means ¹⁷ of mother-to-child transmission of HIV	Total number of women age 15-49 years	
9.4	Accepting attitudes towards people living with HIV ^[M]	HA	Number of women age 15-49 years expressing accepting attitudes on all four questions ¹⁸ toward people living with HIV	Total number of women age 15-49 years who have heard of HIV	
9.5	Women who know where to be tested for HIV ^[M]	HA	Number of women age 15-49 years who state knowledge of a place to be tested for HIV	Total number of women age 15-49 years	
9.6	Women who have been tested for HIV and know the results ^[M]	HA	Number of women age 15-49 years who have been tested for HIV in the 12 months preceding the survey and who know their results	Total number of women age 15-49 years	
9.7	Sexually active young women who have been tested for HIV and know the results ^[M]	HA	Number of women age 15-24 years who have had sex in the 12 months preceding the survey, who have been tested for HIV in the 12 months preceding the survey and who know their results	Total number of women age 15-24 years who have had sex in the 12 months preceding the survey	
9.8	HIV counselling during antenatal care	HA	Number of women age 15-49 years who gave birth in the 2 years preceding the survey and received antenatal care, reporting that they received counselling on HIV during antenatal care	Total number of women age 15-49 years who gave birth in the 2 years preceding the survey	
9.9	HIV testing during antenatal care	HA	Number of women age 15-49 years who gave birth in the 2 years preceding the survey and received antenatal care, reporting that they were offered and accepted an HIV test during antenatal care and received their results	Total number of women age 15-49 years who gave birth in the 2 years preceding the survey	

¹⁶ Using condoms and limiting sex to one faithful, uninfected partner

¹⁷ Transmission during pregnancy, during delivery, and by breastfeeding

¹⁸ Women (1) who think that a female teacher with the AIDS virus should be allowed to teach in school, (2) who would buy fresh vegetables from a shopkeeper or vendor who has the AIDS virus, (3) who would not want to keep it as a secret if a family member became infected with the AIDS virus, and (4) who would be willing to care for a family member who became sick with the AIDS virus

MICS4 INDICATOR ^[M]		Module ¹	Numerator	Denominator	MDG ²
9.10	Young women who have never had sex ^[M]	SB	Number of never married women age 15-24 years who have never had sex	Total number of never married women age 15-24 years	
9.11	Sex before age 15 among young women ^[M]	SB	Number of women age 15-24 years who have had sexual intercourse before age 15	Total number of women age 15-24 years	
9.12	Age-mixing among sexual partners ^[M]	SB	Number of women age 15-24 years who had sex in the 12 months preceding the survey with a partner who was 10 or more years older	Total number of women age 15-24 years who have had sex in the 12 months preceding the survey	
9.13	Sex with multiple partners ^[M]	SB	Number of women age 15-49 years who have had sexual intercourse with more than one partner in the 12 months preceding the survey	Total number of women age 15-49 years	
9.14	Condom use during sex with multiple partners ^[M]	SB	Number of women age 15-49 years who report having had more than one sexual partner in the 12 months preceding the survey who also reported that a condom was used the last time they had sex	Total number of women age 15-49 years who reported having had more than one sexual partner in the 12 months preceding the survey	
9.15	Sex with non-regular partners ^[M]	SB	Number of sexually active women age 15-24 years who have had sex with a non-marital, non-cohabitating partner in the 12 months preceding the survey	Total number of women age 15-24 years who have had sex in the 12 months preceding the survey	
9.16	Condom use with non-regular partners ^[M]	SB	Number of women age 15-24 years reporting the use of a condom during sexual intercourse with their last non-marital, non-cohabiting sex partner in the 12 months preceding the survey	Total number of women age 15-24 years who had a non-marital, non-cohabiting partner in the 12 months preceding the survey	MDG 6.2
9.17	Children's living arrangements	HL	Number of children age 0-17 years not living with a biological parent	Total number of children age 0-17 years	
9.18	Prevalence of children with one or both parents dead	HL	Number of children age 0-17 years with one or both parents dead	Total number of children age 0-17 years	
9.19	School attendance of orphans	HL - ED	Number of children age 10-14 years who have lost both parents and are attending school	Total number of children age 10-14 years who have lost both parents	MDG 6.4
9.20	School attendance of non-orphans	HL - ED	Number of children age 10-14 years, whose parents are alive, who are living with one or both parents, and who are attending school	Total number of children age 10-14 years, whose parents are alive, and who are living with one or both parents	MDG 6.4
9.21	Male circumcision	MMC	Number of men age 15-49 years who report having been circumcised	Total number of men age 15-49 years	

MICS4 INDICATOR ^[M]		Module ¹	Numerator	Denominator	MDG ²
10. ACCESS TO MASS MEDIA AND USE OF INFORMATION/COMMUNICATION TECHNOLOGY					
MT.1	Exposure to mass media ^[M]	MT	Number of women age 15-49 years who, at least once a week, read a newspaper or magazine, listen to the radio, and watch television	Total number of women age 15-49 years	
MT.2	Use of computers ^[M]	MT	Number of young women age 15-24 years who used a computer during the last 12 months	Total number of women age 15-24 years	
MT.3	Use of internet ^[M]	MT	Number of young women age 15-24 who used the internet during the last 12 months	Total number of women age 15-24 years	

11. SUBJECTIVE WELL-BEING					
SW.1	Life satisfaction ^[M]	LS	Number of women age 15-24 years who are very or somewhat satisfied with their family life, friendships, school, current job, health, where they live, how they are treated by others, and how they look	Total number of women age 15-24 years	
SW.2	Happiness ^[M]	LS	Number of women age 15-24 years who are very or somewhat happy	Total number of women age 15-24 years	
SW.3	Perception of a better life ^[M]	LS	Number of women age 15-24 years whose life improved during the last one year, and who expect that their life will be better after one year	Total number of women age 15-24 years	

12. TOBACCO AND ALCOHOL USE					
TA.1	Tobacco use ^[M]	TA	Number of women age 15-49 years who smoked cigarettes, or used smoked or smokeless tobacco products on one or more days during the last one month	Total number of women age 15-49 years	
TA.2	Smoking before age 15 ^[M]	TA	Number of women age 15-49 years who smoked a whole cigarette before age 15	Total number of women age 15-49 years	
TA.3	Alcohol use ^[M]	TA	Number of women age 15-49 years who had at least one alcoholic drink on one or more days during the last one month	Total number of women age 15-49 years	
TA.4	Use of alcohol before age 15 ^[M]	TA	Number of women age 15-49 years who had at least one alcoholic drink before age 15	Total number of women age 15-49 years	